WELL COMPLETION REPORT 41 22 54 73 38 50 PUTNAM COUNTY DEPARTMENT OF HEALTH

LAKE CARMEL

Division of Environmental Health Services COUNTY OFFICE BUILDING - CARMEL, NEW YORK

This report is to be completed by well driller and submitted to County Health Department together with laboratory report of analysis of water sample indicating water is of satisfactory bacterial quality before certificate of construction compliance is issued,

REPORT MUST BE SUBMITTED WITHIN 30 DAYS OF WELL COMPLETION

OWN	ER	HAME M IZ	e Reu P	izzota		ADDRESS	armel, NY		To be to	7
OF W		(No. & Street) Resevair Rd. Brewster, NY				Carmel, Ni (Town) Southeast			(Lot Number)	
PROPOS USE O WELL)F	DOMESTIC SUPPLY		BUSINESS ESTABLISHMENT INDUSTRIAL		FARM AIR CONDITION	ling	TEST WELL OTHER (Specify)	370	2
DRILLIN		ROTARY COMPRESSED			CABLE OTHER (Specify)					
CASIN	iu.	ENGTH (feet)	DIA	DIAMETER (Inches) WEIGHT PER FOO				DRIVE SHOE	NO K YES NO	
YIELD		BAILED		PUMPED	X COMPRES		HOURS	G.P.M.	YIELD (G.P.M.)	N=1800 E-0
WATE		MEASURE FROM LAND SURFACE - STATIC (Specify feet) DURIN			NG YIELD TEST (Heet) total drawdown Depth of Complete in feet below Lond			d Well		
100000	- 0.77	MAKE 40				total draw	wdown	1, San Person Continued State State State of		TO AQUIFER (fee
PETAI		SLOT SIZE		METER (inches	IF GRAVEL PACKED:	Diameter of we gravel pack (in	ell including	GRAYEL SIZE (Inches)	FROM (lest)	TO (feet)
DEPTH FROM LAND FEET to FE		PACE	FORMATION DESCRIPTION				Sketch exact location of well with distances, to at least two permanent landmarks.			
0	85	clay								
85	302	le	edge							
	12									
								- 32		
		_								
	-									
	-									
1f	yield was	tested at d	ifferent depth	s during drill	ing, list below					
				S PER MINUTE						
		_	_			_				
	-					_				
						_		Į.		1
TE WELL C	OMPLETER	0 00	75 OF REPO	Der Louis	L DRILLER (Sig		7	1.5	1//	